

AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-13 (cancelled).

14. (New) A method for establishing a communication connection between a control center and a terminal which is situated in a motor vehicle, comprising:

requesting, by a call by the control center, establishment of a connection to the terminal;

in response to the request, automatically establishing, by the terminal, a communication connection to the control center; and

transmitting data via the established communication connection.

15. (New) A method for establishing a communication connection between a control center and a terminal, comprising:

transmitting, by the control center, a call to a selected terminal as a function of an external request, and expecting a request for connection from the terminal; and

subsequently communicating data between the control center and the terminal.

16. (New) A method for establishing a communication connection between a control center and a terminal which is situated in a motor vehicle, comprising:

receiving, by the terminal, a call requesting establishment of a connection;

automatically establishing a communication to a control center as a function of receiving the call; and

transmitting data via the established communication connection.

17. (New) The method as recited in claim 14, wherein the communication connection is established via a mobile wireless network and the call is a call specified in a mobile wireless standard.

18. (New) The method as recited in claim 17, wherein the call is one of a telephone call and a data call.

19. (New) The method as recited in claim 15, wherein the communication connection is established via a mobile wireless network and the call is a call specified in a mobile wireless standard.

20. (New) The method as recited in claim 19, wherein the call is one of a telephone call and a data call.

21. (New) The method as recited in claim 16, wherein the communication connection is established via a mobile wireless network and the call is a call specified in a mobile wireless standard.

22. (New) The method as recited in claim 21, wherein the call is one of a telephone call and a data call.

23. (New) The method as recited in claim 14, further comprising:

checking the request in the terminal based on one of a telephone number of a requestor and transmitted data.

24. (New) The method as recited in claim 15, further comprising:

checking the request in the terminal based on one of a telephone number of a requestor and transmitted data.

25. (New) The method as recited in claim 16, further comprising:

checking the request in the terminal based on one of a telephone number of a requestor and transmitted data.

26. (New) The method as recited in claim 14, wherein the communication connection is established automatically by the terminal dialing into a network.

27. (New) The method as recited in claim 16, wherein the communication connection is established automatically by the terminal dialing into a network.

28. (New) The method as recited in claim 14, further comprising:

checking the request to establish the connection in the terminal, and, in a case of a correct request for connection, the terminal terminating the call and subsequently establishing a connection.

29. (New) The method as recited in claim 15, further comprising:

checking the request to establish the connection in the terminal, and, in a case of a correct request for connection, the terminal terminating the call and subsequently establishing a connection.

30. (New) The method as recited in claim 16, further comprising:

checking the request to establish the connection in the terminal, and, in a case of a correct request for connection, the terminal terminating the call and subsequently establishing a connection.

31. (New) The method as recited in claim 14, wherein communication between the terminal and control center takes place according to a standardized client-server communication type.

32. (New) The method as recited in claim 29, wherein the communication takes place according to WAP.

33. (New) The method as recited in claim 15, wherein communication between the terminal and control center takes place according to a standardized client-server communication type.

34. (New) The method as recited in claim 33, wherein the communication takes place according to WAP.

35. (New) The method as recited in claim 16, wherein communication between the terminal and control center takes place according to a standardized client-server communication type.

36. (New) The method as recited in claim 35, wherein the communication takes place according to WAP.

37. (New) A device for establishing a communication connection between a control center and a terminal which is situated in a motor vehicle, data being transmitted via the established communication connection, comprising:

a control center including an arrangement configured to transmit a request to establish a connection via a call by a transmission path; and

a terminal including an arrangement which is configured to receive the call and automatically establish a connection to the control center.

38. (New) A device for establishing a communication connection between a control center and a terminal, data being transmitted via the established communication connection, comprising:

a control center including an arrangement configured to place a call to a selected terminal based on an external request, to expect a request to establish a connection from the terminal, and to subsequently perform a client-server communication with the terminal.

39. (New) A device for establishing a communication connection between a control center and a terminal situated in a motor vehicle, data being transmitted via the established communication connection, comprising:

a terminal including an arrangement configured to receive a request from the control center to establish a connection and, as a function thereof, automatically establish at least one predefined connection to the control center.

40. (New) A stored computer program having program code which, when executed by a computer at a control center, causes the computer to place a call to a selected terminal based on an external request, expect a request to establish a connection from the terminal, and to subsequently perform a client-server communication with the terminal.

41. (New) A stored computer program having program codes, which when executed by a computer at a terminal in a motor vehicle, causes the computer to receive from the control center a request to establish a connection to the control center, and, as a function thereof, automatically establish at least one predetermined connection to the control center.